

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	30,722	2,082	984	1,098	437
WHITE	12,999	674	313	361	149
NONWHITE	17,723	1,408	671	737	288

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	86	2	29	55	20	0	7	13	66	2	22	42
TEENAGE IMMATURE BIRTHS	11	0	5	6	1	0	1	0	10	0	4	6
TEENAGE PREMATURE BIRTHS	20	0	6	14	2	0	0	2	18	0	6	12
TEENAGE ILLEGITIMATE BIRTHS	82	2	27	53	16	0	5	11	66	2	22	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	5	14	0	0	0	0	19	0	5	14
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	7	17	1	0	0	1	23	0	7	16
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	6	4	1	0	1	0	10	1	5	4
TEENAGE FERTILITY RATE	41.3	2.0	76.5 (15-19)		29.7	0.0	55.4 (15-19)		46.9	3.0	86.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	1	0	1	0	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	81.4	0.0	69.0	90.9	50.0	0.0	142.8	0.0	90.9	0.0	45.4	119.0
TEENAGE PREGNANCIES#	93	2	31	60	21	0	8	13	72	2	23	47
TEENAGE PREGNANCY RATE	44.7	2.0	82.9 (15-19)		31.2	0.0	58.2 (15-19)		51.1	3.0	95.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	23.3	0.0	34.5	18.2	0.0	0.0	0.0	0.0	30.3	0.0	45.5	23.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,822	2,197	1,124	1,073	453
WHITE	31,176	1,836	954	882	380
NONWHITE	4,646	361	170	191	73

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	0	24	61	66	0	20	46	19	0	4	15
TEENAGE IMMATURE BIRTHS	17	0	8	9	12	0	6	6	5	0	2	3
TEENAGE PREMATURE BIRTHS	15	0	4	11	11	0	2	9	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	67	0	24	43	48	0	20	28	19	0	4	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	2	21	16	0	1	15	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	3	25	21	0	2	19	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	38.7	0.0	79.2 (15-19)		35.9	0.0	74.8 (15-19)		52.6	0.0	99.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	35.3	0.0	41.7	32.8	30.3	0.0	50.0	21.7	52.6	0.0	0.0	66.7
TEENAGE PREGNANCIES#	88	0	25	63	68	0	21	47	20	0	4	16
TEENAGE PREGNANCY RATE	40.0	0.0	82.0 (15-19)		37.0	0.0	77.1 (15-19)		55.4	0.0	104.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	23.5	0.0	0.0	32.8	15.2	0.0	0.0	21.7	52.6	0.0	0.0	66.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,038	749	341	408	163
WHITE	7,191	355	167	188	81
NONWHITE	5,847	394	174	220	82

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	0	8	12	5	0	2	3	15	0	6	9
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	17	0	8	9	2	0	2	0	15	0	6	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	26.7	0.0	49.0 (15-19)		14.1	0.0	26.6 (15-19)		38.1	0.0	68.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	50.0	0.0	0.0	83.3	200.0	0.0	0.0	333.3	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	21	0	8	13	6	0	2	4	15	0	6	9
TEENAGE PREGNANCY RATE	28.0	0.0	51.5 (15-19)		16.9	0.0	31.9 (15-19)		38.1	0.0	68.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,755	1,253	612	641	308
WHITE	11,295	609	316	293	138
NONWHITE	8,460	644	296	348	170

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	55	0	15	40	16	0	4	12	39	0	11	28
TEENAGE IMMATURE BIRTHS	6	0	3	3	1	0	1	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	12	0	2	10	4	0	1	3	8	0	1	7
TEENAGE ILLEGITIMATE BIRTHS	50	0	13	37	11	0	2	9	39	0	11	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	4	8	3	0	1	2	9	0	3	6
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	5	10	5	0	1	4	10	0	4	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	43.9	0.0	85.8 (15-19)		26.3	0.0	54.6 (15-19)		60.6	0.0	112.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	0	3	0	0	0	0	4	1	0	3
TEENAGE INDUCED TERMINATION RATIO	72.7	-	0.0	75.0	0.0	0.0	0.0	0.0	102.6	-	0.0	107.1
TEENAGE PREGNANCIES#	59	1	15	43	16	0	4	12	43	1	11	31
TEENAGE PREGNANCY RATE	47.1	1.6	90.5 (15-19)		26.3	0.0	54.6 (15-19)		66.8	3.4	120.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	18.2	0.0	0.0	25.0	62.5	0.0	0.0	83.3	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,981	532	256	276	109
WHITE	5,075	286	149	137	68
NONWHITE	2,906	246	107	139	41

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	2	4	10	9	1	3	5	7	1	1	5
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	14	2	4	8	7	1	3	3	7	1	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	30.1	7.8	50.7 (15-19)		31.5	6.7	58.4 (15-19)		28.4	9.3	43.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	187.5	0.0	500.0	100.0	222.2	0.0	333.3	200.0	142.8	0.0	1000.0	0.0
TEENAGE PREGNANCIES#	19	2	6	11	11	1	4	6	8	1	2	5
TEENAGE PREGNANCY RATE	35.7	7.8	61.6 (15-19)		38.5	6.7	73.0 (15-19)		32.5	9.3	50.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,766	2,612	1,145	1,467	604
WHITE	12,160	620	244	376	145
NONWHITE	24,606	1,992	901	1,091	459

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	119	2	36	81	19	0	5	14	100	2	31	67
TEENAGE IMMATURE BIRTHS	17	1	3	13	2	0	0	2	15	1	3	11
TEENAGE PREMATURE BIRTHS	27	1	8	18	4	0	1	3	23	1	7	15
TEENAGE ILLEGITIMATE BIRTHS	111	2	36	73	13	0	5	8	98	2	31	65
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	1	24	5	0	0	5	20	0	1	19
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	1	27	6	0	0	6	22	0	1	21
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	1	0	4	0	1	3
TEENAGE FERTILITY RATE	45.6	1.7	79.8 (15-19)		30.6	0.0	50.5 (15-19)		50.2	2.2	89.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	19	2	8	9	1	0	0	1	18	2	8	8
TEENAGE INDUCED TERMINATION RATIO	159.7	1000.0	222.2	111.1	52.6	0.0	0.0	71.4	180.0	1000.0	258.1	119.4
TEENAGE PREGNANCIES#	138	4	44	90	20	0	5	15	118	4	39	75
TEENAGE PREGNANCY RATE	52.8	3.5	91.3 (15-19)		32.2	0.0	53.2 (15-19)		59.2	4.4	104.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	16.8	0.0	0.0	24.7	0.0	0.0	0.0	0.0	20.0	0.0	0.0	29.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,422	902	466	436	207
WHITE	10,097	558	300	258	129
NONWHITE	4,325	344	166	178	78

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	1	16	27	18	0	8	10	26	1	8	17
TEENAGE IMMATURE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	8	0	2	6	6	0	2	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	42	1	16	25	16	0	8	8	26	1	8	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	2	0	1	1	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	3	0	1	2	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE FERTILITY RATE	48.8	2.1	98.6 (15-19)		32.2	0.0	69.8 (15-19)		75.6	6.0	140.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	68.2	0.0	125.0	37.0	0.0	0.0	0.0	0.0	115.4	0.0	250.0	58.8
TEENAGE PREGNANCIES#	47	1	18	28	18	0	8	10	29	1	10	18
TEENAGE PREGNANCY RATE	52.1	2.1	105.5 (15-19)		32.2	0.0	69.8 (15-19)		84.3	6.0	157.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,278	537	250	287	87
WHITE	6,742	315	156	159	53
NONWHITE	3,536	222	94	128	34

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	13	1	4	8	6	0	4	2	7	1	0	6
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	12	1	3	8	5	0	3	2	7	1	0	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	24.2	4.0	41.8 (15-19)		19.0	0.0	37.7 (15-19)		31.5	10.6	46.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	76.9	0.0	250.0	0.0	0.0	0.0	0.0	0.0	142.8	0.0	-	0.0
TEENAGE PREGNANCIES#	14	1	5	8	6	0	4	2	8	1	1	6
TEENAGE PREGNANCY RATE	26.1	4.0	45.3 (15-19)		19.0	0.0	37.7 (15-19)		36.0	10.6	54.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,683	1,309	667	642	274
WHITE	10,708	684	374	310	144
NONWHITE	7,975	625	293	332	130

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	1	17	39	23	1	7	15	34	0	10	24
TEENAGE IMMATURE BIRTHS	8	0	2	6	3	0	1	2	5	0	1	4
TEENAGE PREMATURE BIRTHS	12	0	2	10	5	0	2	3	7	0	0	7
TEENAGE ILLEGITIMATE BIRTHS	50	1	16	33	16	1	6	9	34	0	10	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	7	0	3	4	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	8	0	3	5	9	0	0	9
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	43.5	1.5	87.2 (15-19)		33.6	2.7	71.0 (15-19)		54.4	0.0	102.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	17.5	0.0	0.0	25.6	0.0	0.0	0.0	0.0	29.4	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	0	0	0	0	5	0	4	1
TEENAGE INDUCED TERMINATION RATIO	87.7	0.0	235.3	25.6	0.0	0.0	0.0	0.0	147.0	0.0	400.0	41.7
TEENAGE PREGNANCIES#	63	1	21	41	23	1	7	15	40	0	14	26
TEENAGE PREGNANCY RATE	48.1	1.5	96.6 (15-19)		33.6	2.7	71.0 (15-19)		64.0	0.0	120.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,023	677	334	343	111
WHITE	6,086	426	205	221	60
NONWHITE	2,937	251	129	122	51

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	1	7	14	10	0	4	6	12	1	3	8
TEENAGE IMMATURE BIRTHS	3	1	1	1	1	0	0	1	2	1	1	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	19	1	6	12	7	0	3	4	12	1	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	3	0	1	0	1	0	2	0	2	0
TEENAGE FERTILITY RATE	32.5	3.0	61.2 (15-19)		23.5	0.0	45.2 (15-19)		47.8	7.8	90.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	90.9	0.0	142.8	71.4	100.0	0.0	0.0	166.7	83.3	0.0	333.3	0.0
TEENAGE PREGNANCIES#	24	1	8	15	11	0	4	7	13	1	4	8
TEENAGE PREGNANCY RATE	35.4	3.0	67.0 (15-19)		25.8	0.0	49.8 (15-19)		51.8	7.8	98.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	45.5	0.0	142.9	0.0	0.0	0.0	0.0	0.0	83.3	0.0	333.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,755	974	337	637	132
WHITE	1,573	64	31	33	7
NONWHITE	9,182	910	306	604	125

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	9	20	0	0	0	0	29	0	9	20
TEENAGE IMMATURE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENAGE PREMATURE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	29	0	9	20	0	0	0	0	29	0	9	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	29.8	0.0	45.5 (15-19)		0.0	0.0	0.0 (15-19)		31.9	0.0	48.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	69.0	0.0	222.2	0.0	0.0	0.0	0.0	0.0	69.0	0.0	222.2	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	1	6	0	0	0	0	8	1	1	6
TEENAGE INDUCED TERMINATION RATIO	275.9	-	111.1	300.0	0.0	0.0	0.0	0.0	275.9	-	111.1	300.0
TEENAGE PREGNANCIES#	39	1	12	26	0	0	0	0	39	1	12	26
TEENAGE PREGNANCY RATE	40.0	3.0	59.6 (15-19)		0.0	0.0	0.0 (15-19)		42.8	3.3	62.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,207	1,171	594	577	221
WHITE	11,011	692	350	342	136
NONWHITE	6,196	479	244	235	85

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	11	24	22	0	5	17	13	0	6	7
TEENAGE IMMATURE BIRTHS	6	0	1	5	5	0	0	5	1	0	1	0
TEENAGE PREMATURE BIRTHS	6	0	1	5	5	0	0	5	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	24	0	10	14	12	0	4	8	12	0	6	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	7	0	1	6	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	7	0	1	6	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	29.9	0.0	60.6 (15-19)		31.8	0.0	64.3 (15-19)		27.1	0.0	55.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	2	0	1	1	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	200.0	0.0	181.8	208.3	90.9	0.0	200.0	58.8	384.6	0.0	166.7	571.4
TEENAGE PREGNANCIES#	42	0	13	29	24	0	6	18	18	0	7	11
TEENAGE PREGNANCY RATE	35.9	0.0	72.8 (15-19)		34.7	0.0	70.2 (15-19)		37.6	0.0	76.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,722	1,465	711	754	259
WHITE	8,722	448	229	219	79
NONWHITE	12,000	1,017	482	535	180

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	0	10	29	10	0	2	8	29	0	8	21
TEENAGE IMMATURE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENAGE PREMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	35	0	10	25	6	0	2	4	29	0	8	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	2	0	0	2	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	3	0	0	3	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	26.6	0.0	51.7 (15-19)		22.3	0.0	45.7 (15-19)		28.5	0.0	54.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	1	0	0	1	6	1	3	2
TEENAGE INDUCED TERMINATION RATIO	179.5	-	300.0	103.4	100.0	0.0	0.0	125.0	206.9	-	375.0	95.2
TEENAGE PREGNANCIES#	46	1	13	32	11	0	2	9	35	1	11	23
TEENAGE PREGNANCY RATE	31.4	1.4	59.7 (15-19)		24.6	0.0	50.2 (15-19)		34.4	2.1	63.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	25.6	0.0	100.0	0.0	100.0	0.0	500.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,936	2,214	1,088	1,126	512
WHITE	6,345	294	120	174	68
NONWHITE	20,591	1,920	968	952	444

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	121	2	50	69	9	0	3	6	112	2	47	63
TEENAGE IMMATURE BIRTHS	17	0	5	12	0	0	0	0	17	0	5	12
TEENAGE PREMATURE BIRTHS	34	1	16	17	1	0	0	1	33	1	16	16
TEENAGE ILLEGITIMATE BIRTHS	119	2	49	68	7	0	2	5	112	2	47	63
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	6	21	1	0	0	1	26	0	6	20
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	9	24	2	0	0	2	31	0	9	22
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	54.6	1.8	105.7	(15-19)	30.6	0.0	51.7	(15-19)	58.3	2.1	115.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	8.3	0.0	20.0	0.0	0.0	0.0	0.0	0.0	8.9	0.0	21.3	0.0
TEENAGE INDUCED TERMINATIONS#	14	1	5	8	3	0	2	1	10	1	3	6
TEENAGE INDUCED TERMINATION RATIO	115.7	500.0	100.0	115.9	333.3	0.0	666.7	166.7	89.3	500.0	63.8	95.2
TEENAGE PREGNANCIES#	136	3	56	77	12	0	5	7	123	3	51	69
TEENAGE PREGNANCY RATE	61.4	2.8	118.1	(15-19)	40.8	0.0	69.0	(15-19)	64.1	3.1	126.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.3	0.0	20.0	0.0	0.0	0.0	0.0	0.0	8.9	0.0	21.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,094	2,137	927	1,210	443
WHITE	13,808	818	398	420	177
NONWHITE	15,286	1,319	529	790	266

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	94	2	27	65	29	2	7	20	65	0	20	45
TEENAGE IMMATURE BIRTHS	15	0	4	11	5	0	1	4	10	0	3	7
TEENAGE PREMATURE BIRTHS	20	0	5	15	8	0	3	5	12	0	2	10
TEENAGE ILLEGITIMATE BIRTHS	91	2	26	63	26	2	6	18	65	0	20	45
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	5	17	7	0	2	5	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	6	21	9	0	2	7	18	0	4	14
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	44.0	2.2	76.0 (15-19)		35.4	5.0	64.3 (15-19)		49.3	0.0	82.3 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	21.3	0.0	74.1	0.0	0.0	0.0	0.0	0.0	30.8	0.0	100.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	3	6	0	0	0	0	10	1	3	6
TEENAGE INDUCED TERMINATION RATIO	106.4	500.0	111.1	92.3	0.0	0.0	0.0	0.0	153.8	-	150.0	133.3
TEENAGE PREGNANCIES#	106	3	32	71	29	2	7	20	77	1	25	51
TEENAGE PREGNANCY RATE	49.6	3.2	85.1 (15-19)		35.4	5.0	64.3 (15-19)		58.4	1.9	96.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,544	1,543	758	785	315
WHITE	12,810	830	406	424	184
NONWHITE	7,734	713	352	361	131

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	1	16	37	30	0	6	24	24	1	10	13
TEENAGE IMMATURE BIRTHS	5	0	1	4	2	0	1	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	10	1	5	4	3	0	1	2	7	1	4	2
TEENAGE ILLEGITIMATE BIRTHS	45	1	16	28	21	0	6	15	24	1	10	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	5	0	1	4	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	7	0	1	6	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	35.0	1.3	67.5 (15-19)		36.1	0.0	70.8 (15-19)		33.7	2.8	63.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	18.5	0.0	0.0	27.0	33.3	0.0	0.0	41.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	55.6	0.0	0.0	81.1	100.0	0.0	0.0	125.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	58	1	16	41	34	0	6	28	24	1	10	13
TEENAGE PREGNANCY RATE	37.6	1.3	72.6 (15-19)		41.0	0.0	80.2 (15-19)		33.7	2.8	63.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	158,719	11,855	6,366	5,489	2,170
WHITE	119,466	7,974	4,261	3,713	1,580
NONWHITE	39,253	3,881	2,105	1,776	590

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	226	2	72	152	140	0	41	99	86	2	31	53
TEENAGE IMMATURE BIRTHS	21	0	7	14	12	0	3	9	9	0	4	5
TEENAGE PREMATURE BIRTHS	22	0	8	14	12	0	3	9	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	201	2	68	131	116	0	37	79	85	2	31	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	5	32	18	0	2	16	19	0	3	16
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	5	38	23	0	2	21	20	0	3	17
TEENS WITH INADEQUATE* PRENATAL CARE	18	0	10	8	7	0	4	3	11	0	6	5
TEENAGE FERTILITY RATE	19.1	0.3	40.8	(15-19)	17.6	0.0	37.7	(15-19)	22.2	1.0	47.3	(15-19)
TEENAGE FETAL DEATHS**	4	0	0	4	4	0	0	4	0	0	0	0
TEENAGE FETAL DEATH RATIO	17.7	0.0	0.0	26.3	28.6	0.0	0.0	40.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	85	3	29	53	43	0	8	35	40	3	20	17
TEENAGE INDUCED TERMINATION RATIO	376.1	1500.0	402.8	348.7	307.1	0.0	195.1	353.5	465.1	1500.0	645.2	320.8
TEENAGE PREGNANCIES#	315	5	101	209	187	0	49	138	126	5	51	70
TEENAGE PREGNANCY RATE	26.6	0.8	56.5	(15-19)	23.4	0.0	50.4	(15-19)	32.5	2.4	68.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	1	4	3	0	1	2	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	22.1	0.0	13.9	26.3	21.4	0.0	24.4	20.2	23.3	0.0	0.0	37.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	81,078	6,133	2,395	3,738	1,172
WHITE	50,101	3,198	1,206	1,992	638
NONWHITE	30,977	2,935	1,189	1,746	534

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	186	5	54	127	77	2	20	55	109	3	34	72
TEENAGE IMMATURE BIRTHS	25	1	7	17	6	1	1	4	19	0	6	13
TEENAGE PREMATURE BIRTHS	30	0	9	21	14	0	5	9	16	0	4	12
TEENAGE ILLEGITIMATE BIRTHS	175	5	53	117	66	2	19	45	109	3	34	72
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	1	6	33	14	0	1	13	26	1	5	20
TEENS WHO HAD PREVIOUS PREGNANCIES	46	1	6	39	18	0	1	17	28	1	5	22
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	4	8	5	0	2	3	8	1	2	5
TEENAGE FERTILITY RATE	30.3	2.1	48.4	(15-19)	24.1	1.6	37.6	(15-19)	37.1	2.5	60.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.4	0.0	0.0	7.9	0.0	0.0	0.0	0.0	9.2	0.0	0.0	13.9
TEENAGE INDUCED TERMINATIONS#	21	0	4	17	5	0	1	4	16	0	3	13
TEENAGE INDUCED TERMINATION RATIO	112.9	0.0	74.1	133.8	64.9	0.0	50.0	72.7	146.8	0.0	88.2	180.6
TEENAGE PREGNANCIES#	208	5	58	145	82	2	21	59	126	3	37	86
TEENAGE PREGNANCY RATE	33.9	2.1	54.3	(15-19)	25.6	1.6	40.2	(15-19)	42.9	2.5	70.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	16.1	0.0	18.5	15.7	0.0	0.0	0.0	0.0	27.5	0.0	29.4	27.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,324	514	248	266	104
WHITE	5,141	263	120	143	55
NONWHITE	3,183	251	128	123	49

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	0	11	11	7	0	4	3	15	0	7	8
TEENAGE IMMATURE BIRTHS	5	0	4	1	1	0	0	1	4	0	4	0
TEENAGE PREMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	10	9	4	0	3	1	15	0	7	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	2	0	0	0	0	0	2	0	2	0
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	42.8	0.0	82.7 (15-19)		26.6	0.0	49.0 (15-19)		59.8	0.0	122.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	45.4	0.0	0.0	90.9	0.0	0.0	0.0	0.0	66.7	0.0	0.0	125.0
TEENAGE PREGNANCIES#	23	0	11	12	7	0	4	3	16	0	7	9
TEENAGE PREGNANCY RATE	44.7	0.0	86.5 (15-19)		26.6	0.0	49.0 (15-19)		63.7	0.0	130.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,681	1,646	863	783	381
WHITE	20,203	1,425	747	678	352
NONWHITE	2,478	221	116	105	29

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	3	25	47	65	0	23	42	10	3	2	5
TEENAGE IMMATURE BIRTHS	6	1	1	4	2	0	1	1	4	1	0	3
TEENAGE PREMATURE BIRTHS	10	0	2	8	9	0	2	7	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	55	3	21	31	45	0	19	26	10	3	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	12	0	2	10	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	4	13	15	0	3	12	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	45.6	3.5	92.0 (15-19)		45.6	0.0	95.9 (15-19)		45.2	25.9	66.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	3	0	2	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	40.0	0.0	80.0	21.3	46.2	0.0	87.0	23.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	78	3	27	48	68	0	25	43	10	3	2	5
TEENAGE PREGNANCY RATE	47.4	3.5	95.8 (15-19)		47.7	0.0	100.3 (15-19)		45.2	25.9	66.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,352	833	427	406	175
WHITE	9,964	669	355	314	137
NONWHITE	4,388	164	72	92	38

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	1	7	22	26	1	5	20	4	0	2	2
TEENAGE IMMATURE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	5	0	0	5	4	0	0	4	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	18	1	7	10	14	1	5	8	4	0	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	4	0	0	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	6	0	1	5	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	36.0	2.3	71.4 (15-19)		38.9	2.8	79.6 (15-19)		24.4	0.0	43.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	66.7	0.0	0.0	90.9	76.9	0.0	0.0	100.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	32	1	7	24	28	1	5	22	4	0	2	2
TEENAGE PREGNANCY RATE	38.4	2.3	76.4 (15-19)		41.8	2.8	86.0 (15-19)		24.4	0.0	43.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,046	1,691	825	866	300
WHITE	13,025	834	426	408	147
NONWHITE	10,021	857	399	458	153

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	1	23	33	17	0	5	12	40	1	18	21
TEENAGE IMMATURE BIRTHS	6	0	1	5	3	0	1	2	3	0	0	3
TEENAGE PREMATURE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENAGE ILLEGITIMATE BIRTHS	56	1	23	32	16	0	5	11	40	1	18	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	0	10	3	0	0	3	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	0	12	4	0	0	4	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	33.7	1.2	64.7 (15-19)		20.4	0.0	41.7 (15-19)		46.7	2.5	85.2 (15-19)	
TEENAGE FETAL DEATHS**	2	1	1	0	1	0	1	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	35.1	1000.0	43.5	0.0	58.8	0.0	200.0	0.0	25.0	1000.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	3	0	2	1	5	0	0	5
TEENAGE INDUCED TERMINATION RATIO	140.4	0.0	87.0	181.8	176.5	0.0	400.0	83.3	125.0	0.0	0.0	238.1
TEENAGE PREGNANCIES#	67	2	26	39	21	0	8	13	46	2	18	26
TEENAGE PREGNANCY RATE	39.6	2.4	75.0 (15-19)		25.2	0.0	51.5 (15-19)		53.7	5.0	96.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,962	2,607	1,296	1,311	497
WHITE	36,610	2,292	1,137	1,155	459
NONWHITE	4,352	315	159	156	38

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	1	24	52	73	1	22	50	4	0	2	2
TEENAGE IMMATURE BIRTHS	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	11	0	4	7	10	0	4	6	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	65	1	23	41	61	1	21	39	4	0	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	16	0	4	12	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	4	13	17	0	4	13	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE FERTILITY RATE	29.5	0.8	58.0 (15-19)		31.8	0.9	62.3 (15-19)		12.7	0.0	25.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	26.0	0.0	83.3	0.0	27.4	0.0	90.9	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	79	1	26	52	75	1	24	50	4	0	2	2
TEENAGE PREGNANCY RATE	30.3	0.8	59.5 (15-19)		32.7	0.9	64.1 (15-19)		12.7	0.0	25.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.0	0.0	0.0	19.2	13.7	0.0	0.0	20.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	181,191	11,934	5,763	6,171	2,829
WHITE	128,553	7,473	3,625	3,848	1,953
NONWHITE	52,638	4,461	2,138	2,323	876

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	386	10	113	263	234	6	59	169	152	4	54	94
TEENAGE IMMATURE BIRTHS	52	1	17	34	26	1	4	21	26	0	13	13
TEENAGE PREMATURE BIRTHS	81	3	20	58	47	2	7	38	34	1	13	20
TEENAGE ILLEGITIMATE BIRTHS	340	10	109	221	191	6	55	130	149	4	54	91
TEENS WHO HAD PREVIOUS LIVE BIRTHS	72	0	11	61	46	0	6	40	26	0	5	21
TEENS WHO HAD PREVIOUS PREGNANCIES	92	0	14	78	58	0	8	50	34	0	6	28
TEENS WITH INADEQUATE* PRENATAL CARE	34	0	12	22	11	0	2	9	23	0	10	13
TEENAGE FERTILITY RATE	32.3	1.7	60.9 (15-19)		31.3	1.6	59.2 (15-19)		34.1	1.9	63.7 (15-19)	
TEENAGE FETAL DEATHS**	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	10.4	0.0	17.7	7.6	4.3	0.0	16.9	0.0	19.7	0.0	18.5	21.3
TEENAGE INDUCED TERMINATIONS#	35	1	11	23	21	0	6	15	14	1	5	8
TEENAGE INDUCED TERMINATION RATIO	90.7	100.0	97.3	87.4	89.7	0.0	101.7	88.8	92.1	250.0	92.6	85.1
TEENAGE PREGNANCIES#	425	11	126	288	256	6	66	184	169	5	60	104
TEENAGE PREGNANCY RATE	35.6	1.9	67.1 (15-19)		34.2	1.6	65.0 (15-19)		37.9	2.3	70.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	3	0	0	3	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	10.4	0.0	8.9	11.4	12.8	0.0	0.0	17.8	6.6	0.0	18.5	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	247,631	18,851	8,824	10,027	3,703
WHITE	77,981	4,315	1,792	2,523	748
NONWHITE	169,650	14,536	7,032	7,504	2,955

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	622	12	186	424	52	0	8	44	570	12	178	380
TEENAGE IMMATURE BIRTHS	115	1	35	79	4	0	0	4	111	1	35	75
TEENAGE PREMATURE BIRTHS	148	2	49	97	4	0	0	4	144	2	49	93
TEENAGE ILLEGITIMATE BIRTHS	606	12	185	409	43	0	8	35	563	12	177	374
TEENS WHO HAD PREVIOUS LIVE BIRTHS	154	0	19	135	12	0	0	12	142	0	19	123
TEENS WHO HAD PREVIOUS PREGNANCIES	184	0	22	162	16	0	0	16	168	0	22	146
TEENS WITH INADEQUATE* PRENATAL CARE	42	2	18	22	1	0	1	0	41	2	17	22
TEENAGE FERTILITY RATE	33.0	1.4	60.8 (15-19)		12.0	0.0	20.6 (15-19)		39.2	1.7	74.4 (15-19)	
TEENAGE FETAL DEATHS**	6	0	1	5	2	0	1	1	4	0	0	4
TEENAGE FETAL DEATH RATIO	9.6	0.0	5.4	11.8	38.5	0.0	125.0	22.7	7.0	0.0	0.0	10.5
TEENAGE INDUCED TERMINATIONS#	149	11	46	92	9	0	3	6	140	11	43	86
TEENAGE INDUCED TERMINATION RATIO	239.6	916.7	247.3	217.0	173.1	0.0	375.0	136.4	245.6	916.7	241.6	226.3
TEENAGE PREGNANCIES#	777	23	233	521	63	0	12	51	714	23	221	470
TEENAGE PREGNANCY RATE	41.2	2.6	75.2 (15-19)		14.6	0.0	25.0 (15-19)		49.1	3.3	92.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	8	1	1	6	2	0	0	2	6	1	1	4
INFANT MORTALITY RATE, TEEN MOMS	12.9	83.3	5.4	14.2	38.5	0.0	0.0	45.5	10.5	83.3	5.6	10.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,290	1,676	720	956	350
WHITE	3,659	235	67	168	24
NONWHITE	16,631	1,441	653	788	326

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	3	25	48	1	0	1	0	75	3	24	48
TEENAGE IMMATURE BIRTHS	11	0	2	9	0	0	0	0	11	0	2	9
TEENAGE PREMATURE BIRTHS	26	2	9	15	0	0	0	0	26	2	9	15
TEENAGE ILLEGITIMATE BIRTHS	76	3	25	48	1	0	1	0	75	3	24	48
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	5	15	0	0	0	0	20	0	5	15
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	8	19	0	0	0	0	27	0	8	19
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	4	0	0	0	0	0	5	1	4	0
TEENAGE FERTILITY RATE	45.3	4.2	76.4 (15-19)		4.2	0.0	6.0 (15-19)		52.0	4.6	91.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.2	0.0	40.0	0.0	0.0	0.0	0.0	0.0	13.3	0.0	41.7	0.0
TEENAGE INDUCED TERMINATIONS#	19	2	6	11	0	0	0	0	19	2	6	11
TEENAGE INDUCED TERMINATION RATIO	250.0	666.7	240.0	229.2	0.0	0.0	0.0	0.0	253.3	666.7	250.0	229.2
TEENAGE PREGNANCIES#	96	5	32	59	1	0	1	0	95	5	31	59
TEENAGE PREGNANCY RATE	57.3	6.9	95.2 (15-19)		4.2	0.0	6.0 (15-19)		65.9	7.6	114.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	26.3	0.0	0.0	41.7	0.0	0.0	0.0	0.0	26.7	0.0	0.0	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,809	644	282	362	215
WHITE	2,470	109	50	59	21
NONWHITE	7,339	535	232	303	194

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	3	12	29	3	1	0	2	41	2	12	27
TEENAGE IMMATURE BIRTHS	9	1	1	7	1	0	0	1	8	1	1	6
TEENAGE PREMATURE BIRTHS	9	0	4	5	0	0	0	0	9	0	4	5
TEENAGE ILLEGITIMATE BIRTHS	43	3	12	28	2	1	0	1	41	2	12	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	0	0	0	0	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	0	0	0	0	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	68.3	10.6	113.3	(15-19)	27.5	20.0	33.9	(15-19)	76.6	8.6	128.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	22.7	0.0	0.0	34.5	0.0	0.0	0.0	0.0	24.4	0.0	0.0	37.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	136.4	0.0	166.7	137.9	333.3	0.0	0.0	500.0	122.0	0.0	166.7	111.1
TEENAGE PREGNANCIES#	51	3	14	34	4	1	0	3	47	2	14	31
TEENAGE PREGNANCY RATE	79.2	10.6	132.6	(15-19)	36.7	20.0	50.8	(15-19)	87.8	8.6	148.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,612	94	43	51	17
WHITE	623	25	12	13	2
NONWHITE	989	69	31	38	15

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	31.9	0.0	58.8 (15-19)		0.0	0.0	0.0 (15-19)		43.5	0.0	78.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREGNANCY RATE	31.9	0.0	58.8 (15-19)		0.0	0.0	0.0 (15-19)		43.5	0.0	78.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,000	1,743	730	1,013	281
WHITE	21,176	1,533	665	868	262
NONWHITE	1,824	210	65	145	19

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	3	13	38	49	2	11	36	5	1	2	2
TEENAGE IMMATURE BIRTHS	5	1	1	3	3	0	1	2	2	1	0	1
TEENAGE PREMATURE BIRTHS	7	0	4	3	4	0	2	2	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	41	3	13	25	36	2	11	23	5	1	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	7	0	0	7	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	13	0	1	12	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	31.0	4.1	50.3 (15-19)		32.0	3.0	54.1 (15-19)		23.8	15.4	27.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	3	0	2	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	55.6	0.0	153.8	26.3	61.2	0.0	181.8	27.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	57	3	15	39	52	2	13	37	5	1	2	2
TEENAGE PREGNANCY RATE	32.7	4.1	53.3 (15-19)		33.9	3.0	57.6 (15-19)		23.8	15.4	27.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	132,922	9,203	4,542	4,661	1,787
WHITE	98,203	6,203	3,024	3,179	1,266
NONWHITE	34,719	3,000	1,518	1,482	521

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	284	5	86	193	174	2	45	127	110	3	41	66
TEENAGE IMMATURE BIRTHS	40	1	12	27	20	0	6	14	20	1	6	13
TEENAGE PREMATURE BIRTHS	41	1	12	28	21	0	3	18	20	1	9	10
TEENAGE ILLEGITIMATE BIRTHS	256	5	82	169	147	2	41	104	109	3	41	65
TEENS WHO HAD PREVIOUS LIVE BIRTHS	63	0	10	53	34	0	6	28	29	0	4	25
TEENS WHO HAD PREVIOUS PREGNANCIES	78	0	12	66	45	0	7	38	33	0	5	28
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	2	8	5	1	0	4	6	0	2	4
TEENAGE FERTILITY RATE	30.9	1.1	59.8 (15-19)		28.0	0.7	54.1 (15-19)		36.7	2.0	72.2 (15-19)	
TEENAGE FETAL DEATHS**	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	14.1	0.0	11.6	15.5	5.7	0.0	22.2	0.0	27.3	0.0	0.0	45.4
TEENAGE INDUCED TERMINATIONS#	35	0	7	28	21	0	3	18	14	0	4	10
TEENAGE INDUCED TERMINATION RATIO	123.2	0.0	81.4	145.1	120.7	0.0	66.7	141.7	127.3	0.0	97.6	151.5
TEENAGE PREGNANCIES#	323	5	94	224	196	2	49	145	127	3	45	79
TEENAGE PREGNANCY RATE	35.1	1.1	68.2 (15-19)		31.6	0.7	61.0 (15-19)		42.3	2.0	83.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	1	1	1	1	1	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	10.6	200.0	11.6	5.2	5.7	500.0	0.0	0.0	18.2	0.0	24.4	15.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,940	1,291	660	631	243
WHITE	8,469	491	263	228	91
NONWHITE	9,471	800	397	403	152

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	2	20	29	19	1	5	13	32	1	15	16
TEENAGE IMMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	44	2	18	24	14	1	4	9	30	1	14	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	2	0	0	2	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE FERTILITY RATE	39.5	3.0	77.6 (15-19)		38.7	3.8	78.9 (15-19)		40.0	2.5	76.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	58.8	0.0	50.0	69.0	0.0	0.0	0.0	0.0	93.8	0.0	66.7	125.0
TEENAGE PREGNANCIES#	54	2	21	31	19	1	5	13	35	1	16	18
TEENAGE PREGNANCY RATE	41.8	3.0	82.4 (15-19)		38.7	3.8	78.9 (15-19)		43.8	2.5	84.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,928	594	299	295	105
WHITE	1,164	45	28	17	5
NONWHITE	7,764	549	271	278	100

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	1	8	13	0	0	0	0	22	1	8	13
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	6	1	2	3	0	0	0	0	6	1	2	3
TEENAGE ILLEGITIMATE BIRTHS	22	1	8	13	0	0	0	0	22	1	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	2	3	0	0	0	0	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE FERTILITY RATE	37.0	3.3	71.2 (15-19)		0.0	0.0	0.0 (15-19)		40.1	3.7	75.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	181.8	0.0	125.0	230.8	0.0	0.0	0.0	0.0	181.8	0.0	125.0	230.8
TEENAGE PREGNANCIES#	26	1	9	16	0	0	0	0	26	1	9	16
TEENAGE PREGNANCY RATE	43.8	3.3	84.7 (15-19)		0.0	0.0	0.0 (15-19)		47.4	3.7	89.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,543	834	394	440	161
WHITE	5,213	255	129	126	52
NONWHITE	7,330	579	265	314	109

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	1	9	19	7	0	0	7	22	1	9	12
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE ILLEGITIMATE BIRTHS	26	1	9	16	4	0	0	4	22	1	9	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	3	0	0	3	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	4	11	6	0	0	6	9	0	4	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	34.8	2.5	63.6	(15-19)	27.4	0.0	55.6	(15-19)	38.0	3.8	66.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	34.5	0.0	0.0	52.6	0.0	0.0	0.0	0.0	45.4	0.0	0.0	83.3
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	103.4	0.0	111.1	105.3	0.0	0.0	0.0	0.0	136.4	0.0	111.1	166.7
TEENAGE PREGNANCIES#	33	1	10	22	7	0	0	7	26	1	10	15
TEENAGE PREGNANCY RATE	39.6	2.5	72.7	(15-19)	27.4	0.0	55.6	(15-19)	44.9	3.8	79.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	67,776	4,405	2,090	2,315	1,078
WHITE	48,093	2,694	1,298	1,396	682
NONWHITE	19,683	1,711	792	919	396

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	186	5	56	125	91	1	28	62	95	4	28	63
TEENAGE IMMATURE BIRTHS	30	0	14	16	9	0	6	3	21	0	8	13
TEENAGE PREMATURE BIRTHS	49	2	15	32	20	1	9	10	29	1	6	22
TEENAGE ILLEGITIMATE BIRTHS	166	5	53	108	71	1	25	45	95	4	28	63
TEENS WHO HAD PREVIOUS LIVE BIRTHS	52	0	11	41	24	0	8	16	28	0	3	25
TEENS WHO HAD PREVIOUS PREGNANCIES	57	0	12	45	26	0	9	17	31	0	3	28
TEENS WITH INADEQUATE* PRENATAL CARE	23	2	8	13	10	0	4	6	13	2	4	7
TEENAGE FERTILITY RATE	42.2	2.4	78.2 (15-19)		33.8	0.8	64.5 (15-19)		55.5	5.0	99.0 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	16.1	0.0	0.0	24.0	11.0	0.0	0.0	16.1	21.0	0.0	0.0	31.7
TEENAGE INDUCED TERMINATIONS#	17	2	5	10	3	0	1	2	14	2	4	8
TEENAGE INDUCED TERMINATION RATIO	91.4	400.0	89.3	80.0	33.0	0.0	35.7	32.2	147.4	500.0	142.8	127.0
TEENAGE PREGNANCIES#	206	7	61	138	95	1	29	65	111	6	32	73
TEENAGE PREGNANCY RATE	46.8	3.3	86.0 (15-19)		35.3	0.8	67.3 (15-19)		64.9	7.6	114.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	0	5	1	0	0	1	4	0	0	4
INFANT MORTALITY RATE, TEEN MOMS	26.9	0.0	0.0	40.0	11.0	0.0	0.0	16.1	42.1	0.0	0.0	63.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,833	746	342	404	96
WHITE	3,638	212	88	124	30
NONWHITE	6,195	534	254	280	66

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	12	0	4	8	5	0	2	3	7	0	2	5
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	11	0	4	7	4	0	2	2	7	0	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	16.1	0.0	29.7 (15-19)		23.6	0.0	40.3 (15-19)		13.1	0.0	25.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	166.7	0.0	500.0	0.0	0.0	0.0	0.0	0.0	285.7	0.0	1000.0	0.0
TEENAGE PREGNANCIES#	14	0	6	8	5	0	2	3	9	0	4	5
TEENAGE PREGNANCY RATE	18.8	0.0	34.6 (15-19)		23.6	0.0	40.3 (15-19)		16.8	0.0	32.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	43,975	3,329	1,011	2,318	509
WHITE	31,909	2,344	619	1,725	323
NONWHITE	12,066	985	392	593	186

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	0	18	41	24	0	7	17	35	0	11	24
TEENAGE IMMATURE BIRTHS	11	0	4	7	5	0	3	2	6	0	1	5
TEENAGE PREMATURE BIRTHS	11	0	5	6	5	0	3	2	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	55	0	18	37	21	0	7	14	34	0	11	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	4	0	0	4	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	3	13	3	0	0	3	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	5	10	5	0	0	5	10	0	5	5
TEENAGE FERTILITY RATE	17.7	0.0	25.4 (15-19)		10.2	0.0	13.9 (15-19)		35.5	0.0	59.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	16.9	0.0	0.0	24.4	41.7	0.0	0.0	58.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	0	3	14	9	0	0	9	8	0	3	5
TEENAGE INDUCED TERMINATION RATIO	288.1	0.0	166.7	341.5	375.0	0.0	0.0	529.4	228.6	0.0	272.7	208.3
TEENAGE PREGNANCIES#	77	0	21	56	34	0	7	27	43	0	14	29
TEENAGE PREGNANCY RATE	23.1	0.0	33.2 (15-19)		14.5	0.0	19.7 (15-19)		43.6	0.0	72.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,980	3,622	1,814	1,808	783
WHITE	40,797	2,777	1,385	1,392	569
NONWHITE	9,183	845	429	416	214

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	1	24	49	53	1	13	39	21	0	11	10
TEENAGE IMMATURE BIRTHS	7	1	2	4	6	1	2	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	11	1	4	6	8	1	3	4	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	54	1	21	32	33	1	10	22	21	0	11	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	8	0	0	8	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	9	0	0	9	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	20.4	0.6	40.4 (15-19)		19.1	0.7	37.4 (15-19)		24.8	0.0	50.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	1	7	4	0	0	4	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	108.1	0.0	41.7	142.8	75.5	0.0	0.0	102.6	190.5	0.0	90.9	300.0
TEENAGE PREGNANCIES#	82	1	25	56	57	1	13	43	25	0	12	13
TEENAGE PREGNANCY RATE	22.6	0.6	44.8 (15-19)		20.5	0.7	40.2 (15-19)		29.6	0.0	60.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	79,099	5,356	2,558	2,798	1,142
WHITE	44,726	2,449	1,196	1,253	529
NONWHITE	34,373	2,907	1,362	1,545	613

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	182	3	52	127	60	0	15	45	122	3	37	82
TEENAGE IMMATURE BIRTHS	20	0	4	16	4	0	0	4	16	0	4	12
TEENAGE PREMATURE BIRTHS	26	1	8	17	4	0	1	3	22	1	7	14
TEENAGE ILLEGITIMATE BIRTHS	170	3	50	117	49	0	13	36	121	3	37	81
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	5	31	9	0	1	8	27	0	4	23
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	5	39	10	0	1	9	34	0	4	30
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	2	8	1	0	0	1	9	0	2	7
TEENAGE FERTILITY RATE	34.0	1.2	64.0 (15-19)		24.5	0.0	47.9 (15-19)		42.0	2.2	77.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	24	0	9	15	7	0	1	6	17	0	8	9
TEENAGE INDUCED TERMINATION RATIO	131.9	0.0	173.1	118.1	116.7	0.0	66.7	133.3	139.3	0.0	216.2	109.8
TEENAGE PREGNANCIES#	206	3	61	142	67	0	16	51	139	3	45	91
TEENAGE PREGNANCY RATE	38.5	1.2	72.6 (15-19)		27.4	0.0	53.5 (15-19)		47.8	2.2	88.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	1	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.0	0.0	19.2	7.9	16.7	0.0	66.7	0.0	8.2	0.0	0.0	12.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,308	973	486	487	192
WHITE	8,898	568	289	279	124
NONWHITE	4,410	405	197	208	68

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	1	9	19	17	0	6	11	12	1	3	8
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	4	1	1	2	2	0	1	1	2	1	0	1
TEENAGE ILLEGITIMATE BIRTHS	25	1	7	17	13	0	4	9	12	1	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	3	5	3	0	2	1	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	29.8	2.0	57.5 (15-19)		29.9	0.0	60.9 (15-19)		29.6	5.1	52.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	3	0	1	0	1	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	103.4	0.0	333.3	0.0	58.8	0.0	166.7	0.0	166.7	0.0	666.7	0.0
TEENAGE PREGNANCIES#	32	1	12	19	18	0	7	11	14	1	5	8
TEENAGE PREGNANCY RATE	32.9	2.0	63.6 (15-19)		31.7	0.0	64.5 (15-19)		34.6	5.1	62.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,132	1,746	856	890	356
WHITE	12,645	792	413	379	180
NONWHITE	10,487	954	443	511	176

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	1	19	43	26	0	4	22	37	1	15	21
TEENAGE IMMATURE BIRTHS	14	1	7	6	3	0	1	2	11	1	6	4
TEENAGE PREMATURE BIRTHS	19	1	8	10	4	0	0	4	15	1	8	6
TEENAGE ILLEGITIMATE BIRTHS	55	1	18	36	18	0	3	15	37	1	15	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	5	8	3	0	0	3	10	0	5	5
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	5	12	5	0	0	5	12	0	5	7
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	4	0	0	0	0	0	5	1	4	0
TEENAGE FERTILITY RATE	36.1	1.2	69.7 (15-19)		32.8	0.0	68.6 (15-19)		38.8	2.2	70.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	31.7	0.0	0.0	46.5	38.5	0.0	0.0	45.4	27.0	0.0	0.0	47.6
TEENAGE INDUCED TERMINATIONS#	8	0	5	3	2	0	2	0	6	0	3	3
TEENAGE INDUCED TERMINATION RATIO	127.0	0.0	263.2	69.8	76.9	0.0	500.0	0.0	162.2	0.0	200.0	142.8
TEENAGE PREGNANCIES#	73	1	24	48	29	0	6	23	44	1	18	25
TEENAGE PREGNANCY RATE	41.8	1.2	80.9 (15-19)		36.6	0.0	76.5 (15-19)		46.1	2.2	84.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	81,913	5,542	2,839	2,703	1,217
WHITE	58,581	3,465	1,809	1,656	782
NONWHITE	23,332	2,077	1,030	1,047	435

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	207	7	61	139	104	2	30	72	103	5	31	67
TEENAGE IMMATURE BIRTHS	28	2	9	17	10	0	5	5	18	2	4	12
TEENAGE PREMATURE BIRTHS	37	3	16	18	13	0	6	7	24	3	10	11
TEENAGE ILLEGITIMATE BIRTHS	177	7	58	112	78	2	27	49	99	5	31	63
TEENS WHO HAD PREVIOUS LIVE BIRTHS	49	0	8	41	22	0	4	18	27	0	4	23
TEENS WHO HAD PREVIOUS PREGNANCIES	55	0	10	45	27	0	6	21	28	0	4	24
TEENS WITH INADEQUATE* PRENATAL CARE	8	2	2	4	1	0	0	1	7	2	2	3
TEENAGE FERTILITY RATE	37.4	2.5	74.0 (15-19)		30.0	1.1	61.6 (15-19)		49.6	4.8	93.6 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.5	0.0	0.0	21.6	19.2	0.0	0.0	27.8	9.7	0.0	0.0	14.9
TEENAGE INDUCED TERMINATIONS#	21	0	13	8	11	0	8	3	10	0	5	5
TEENAGE INDUCED TERMINATION RATIO	101.4	0.0	213.1	57.6	105.8	0.0	266.7	41.7	97.1	0.0	161.3	74.6
TEENAGE PREGNANCIES#	231	7	74	150	117	2	38	77	114	5	36	73
TEENAGE PREGNANCY RATE	41.7	2.5	82.9 (15-19)		33.8	1.1	69.4 (15-19)		54.9	4.8	104.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	9.7	0.0	0.0	14.4	0.0	0.0	0.0	0.0	19.4	0.0	0.0	29.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,563	2,629	1,214	1,415	586
WHITE	9,294	446	213	233	98
NONWHITE	25,269	2,183	1,001	1,182	488

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	125	6	42	77	10	1	2	7	115	5	40	70
TEENAGE IMMATURE BIRTHS	17	2	4	11	0	0	0	0	17	2	4	11
TEENAGE PREMATURE BIRTHS	23	1	8	14	1	0	0	1	22	1	8	13
TEENAGE ILLEGITIMATE BIRTHS	120	6	42	72	7	1	2	4	113	5	40	68
TEENS WHO HAD PREVIOUS LIVE BIRTHS	28	0	5	23	1	0	0	1	27	0	5	22
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	8	29	4	0	0	4	33	0	8	25
TEENS WITH INADEQUATE* PRENATAL CARE	19	3	5	11	1	0	0	1	18	3	5	10
TEENAGE FERTILITY RATE	47.5	4.9	84.1 (15-19)		22.4	4.7	38.6 (15-19)		52.7	5.0	93.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.0	0.0	0.0	13.0	100.0	0.0	0.0	142.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	22	2	7	13	4	0	3	1	18	2	4	12
TEENAGE INDUCED TERMINATION RATIO	176.0	333.3	166.7	168.8	400.0	0.0	1500.0	142.8	156.5	400.0	100.0	171.4
TEENAGE PREGNANCIES#	148	8	49	91	15	1	5	9	133	7	44	82
TEENAGE PREGNANCY RATE	56.3	6.6	98.9 (15-19)		33.6	4.7	60.1 (15-19)		60.9	7.0	106.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.0	0.0	0.0	13.0	0.0	0.0	0.0	0.0	8.7	0.0	0.0	14.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,830	2,368	1,174	1,194	515
WHITE	23,718	1,436	724	712	346
NONWHITE	11,112	932	450	482	169

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	88	0	36	52	45	0	15	30	43	0	21	22
TEENAGE IMMATURE BIRTHS	6	0	4	2	1	0	1	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	14	0	10	4	7	0	5	2	7	0	5	2
TEENAGE ILLEGITIMATE BIRTHS	71	0	32	39	28	0	11	17	43	0	21	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	6	0	2	4	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	3	17	10	0	2	8	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	37.2	0.0	73.7 (15-19)		31.3	0.0	63.2 (15-19)		46.1	0.0	89.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	11.4	0.0	27.8	0.0	0.0	0.0	0.0	0.0	23.2	0.0	47.6	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	45.4	0.0	27.8	57.7	22.2	0.0	0.0	33.3	69.8	0.0	47.6	90.9
TEENAGE PREGNANCIES#	93	0	38	55	46	0	15	31	47	0	23	24
TEENAGE PREGNANCY RATE	39.3	0.0	77.9 (15-19)		32.0	0.0	64.6 (15-19)		50.4	0.0	97.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,658	4,217	2,035	2,182	849
WHITE	32,713	1,905	947	958	424
NONWHITE	26,945	2,312	1,088	1,224	425

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	143	3	37	103	51	1	11	39	92	2	26	64
TEENAGE IMMATURE BIRTHS	20	0	6	14	6	0	3	3	14	0	3	11
TEENAGE PREMATURE BIRTHS	26	1	7	18	7	0	3	4	19	1	4	14
TEENAGE ILLEGITIMATE BIRTHS	130	3	35	92	40	1	9	30	90	2	26	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	4	29	11	0	1	10	22	0	3	19
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	5	35	15	0	1	14	25	0	4	21
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	1	7	0	0	0	0	8	0	1	7
TEENAGE FERTILITY RATE	33.9	1.5	64.2 (15-19)		26.8	1.0	52.2 (15-19)		39.8	1.8	73.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	7.0	0.0	0.0	9.7	0.0	0.0	0.0	0.0	10.9	0.0	0.0	15.6
TEENAGE INDUCED TERMINATIONS#	31	1	12	18	7	0	2	5	24	1	10	13
TEENAGE INDUCED TERMINATION RATIO	216.8	333.3	324.3	174.8	137.2	0.0	181.8	128.2	260.9	500.0	384.6	203.1
TEENAGE PREGNANCIES#	175	4	49	122	58	1	13	44	117	3	36	78
TEENAGE PREGNANCY RATE	41.5	2.0	78.4 (15-19)		30.4	1.0	59.5 (15-19)		50.6	2.8	93.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	14.0	0.0	0.0	19.4	0.0	0.0	0.0	0.0	21.7	0.0	0.0	31.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	93,097	6,793	3,471	3,322	1,410
WHITE	56,033	3,504	1,869	1,635	726
NONWHITE	37,064	3,289	1,602	1,687	684

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	159	6	41	112	42	1	8	33	117	5	33	79
TEENAGE IMMATURE BIRTHS	18	2	4	12	0	0	0	0	18	2	4	12
TEENAGE PREMATURE BIRTHS	27	2	5	20	4	0	1	3	23	2	4	17
TEENAGE ILLEGITIMATE BIRTHS	151	6	41	104	35	1	8	26	116	5	33	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	2	24	7	0	0	7	19	0	2	17
TEENS WHO HAD PREVIOUS PREGNANCIES	35	0	3	32	10	0	0	10	25	0	3	22
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	2	5	1	0	1	0	6	0	1	5
TEENAGE FERTILITY RATE	23.4	1.7	46.0 (15-19)		12.0	0.5	25.1 (15-19)		35.6	3.1	66.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	47	4	14	29	13	1	5	7	34	3	9	22
TEENAGE INDUCED TERMINATION RATIO	295.6	666.7	341.5	258.9	309.5	1000.0	625.0	212.1	290.6	600.0	272.7	278.5
TEENAGE PREGNANCIES#	206	10	55	141	55	2	13	40	151	8	42	101
TEENAGE PREGNANCY RATE	30.3	2.9	59.0 (15-19)		15.7	1.1	32.4 (15-19)		45.9	5.0	84.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.3	0.0	0.0	8.9	0.0	0.0	0.0	0.0	8.5	0.0	0.0	12.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,732	1,840	936	904	437
WHITE	16,868	1,017	534	483	277
NONWHITE	8,864	823	402	421	160

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	1	28	68	55	1	18	36	42	0	10	32
TEENAGE IMMATURE BIRTHS	8	0	4	4	7	0	4	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	18	0	10	8	6	0	3	3	12	0	7	5
TEENAGE ILLEGITIMATE BIRTHS	82	1	24	57	40	1	14	25	42	0	10	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	3	18	11	0	3	8	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	4	20	13	0	4	9	11	0	0	11
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE FERTILITY RATE	52.7	1.1	106.2 (15-19)		54.1	1.9	111.8 (15-19)		51.0	0.0	99.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.3	0.0	0.0	14.7	0.0	0.0	0.0	0.0	23.8	0.0	0.0	31.2
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	2	0	0	2	2	1	1	0
TEENAGE INDUCED TERMINATION RATIO	41.2	1000.0	35.7	29.4	36.4	0.0	0.0	55.6	47.6	-	100.0	0.0
TEENAGE PREGNANCIES#	102	2	29	71	57	1	18	38	45	1	11	33
TEENAGE PREGNANCY RATE	55.4	2.1	110.6 (15-19)		56.0	1.9	115.9 (15-19)		54.7	2.5	104.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,900	2,478	1,197	1,281	493
WHITE	18,756	1,051	553	498	233
NONWHITE	18,144	1,427	644	783	260

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	81	0	25	56	32	0	9	23	49	0	16	33
TEENAGE IMMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENAGE ILLEGITIMATE BIRTHS	74	0	24	50	25	0	8	17	49	0	16	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	7	0	0	7	9	0	3	6
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	7	0	0	7	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	5	6	0	0	0	0	11	0	5	6
TEENAGE FERTILITY RATE	32.7	0.0	63.2 (15-19)		30.4	0.0	64.2 (15-19)		34.3	0.0	62.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	2	9	14	6	0	4	2	19	2	5	12
TEENAGE INDUCED TERMINATION RATIO	308.6	-	360.0	250.0	187.5	0.0	444.4	87.0	387.8	-	312.5	363.6
TEENAGE PREGNANCIES#	106	2	34	70	38	0	13	25	68	2	21	45
TEENAGE PREGNANCY RATE	42.8	1.7	81.2 (15-19)		36.2	0.0	76.3 (15-19)		47.6	3.1	84.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	12.3	0.0	0.0	17.9	31.3	0.0	0.0	43.5	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,905	2,555	1,247	1,308	477
WHITE	25,097	1,558	760	798	315
NONWHITE	11,808	997	487	510	162

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	0	19	49	43	0	14	29	25	0	5	20
TEENAGE IMMATURE BIRTHS	16	0	4	12	10	0	2	8	6	0	2	4
TEENAGE PREMATURE BIRTHS	18	0	5	13	10	0	3	7	8	0	2	6
TEENAGE ILLEGITIMATE BIRTHS	54	0	15	39	30	0	10	20	24	0	5	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	1	20	12	0	1	11	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	1	22	13	0	1	12	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	3	0	2	1	2	0	1	1
TEENAGE FERTILITY RATE	26.6	0.0	52.0 (15-19)		27.6	0.0	53.9 (15-19)		25.1	0.0	49.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.7	0.0	0.0	20.4	23.2	0.0	0.0	34.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	4	2	2	0	1	1	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	88.2	0.0	210.5	40.8	46.5	0.0	71.4	34.5	160.0	0.0	600.0	50.0
TEENAGE PREGNANCIES#	75	0	23	52	46	0	15	31	29	0	8	21
TEENAGE PREGNANCY RATE	29.4	0.0	57.3 (15-19)		29.5	0.0	57.6 (15-19)		29.1	0.0	56.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	14.7	0.0	0.0	20.4	23.3	0.0	0.0	34.5	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,129	766	349	417	155
WHITE	5,921	331	165	166	65
NONWHITE	5,208	435	184	251	90

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	1	12	24	15	0	4	11	22	1	8	13
TEENAGE IMMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	7	1	2	4	1	0	0	1	6	1	2	3
TEENAGE ILLEGITIMATE BIRTHS	32	1	11	20	10	0	3	7	22	1	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	3	0	1	2	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	48.3	2.9	86.3 (15-19)		45.3	0.0	90.4 (15-19)		50.6	5.4	83.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	27.0	0.0	83.3	0.0	66.7	0.0	250.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	6	0	2	4	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	216.2	0.0	166.7	250.0	400.0	0.0	500.0	363.6	90.9	0.0	0.0	153.8
TEENAGE PREGNANCIES#	46	1	15	30	22	0	7	15	24	1	8	15
TEENAGE PREGNANCY RATE	60.0	2.9	107.9 (15-19)		66.5	0.0	132.5 (15-19)		55.2	5.4	91.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	27.0	0.0	0.0	41.7	0.0	0.0	0.0	0.0	45.5	0.0	0.0	76.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: NESHOBIA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	30,302	2,233	1,123	1,110	544
WHITE	18,799	1,147	613	534	240
NONWHITE	11,503	1,086	510	576	304

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	108	4	41	63	39	1	16	22	69	3	25	41
TEENAGE IMMATURE BIRTHS	10	0	6	4	6	0	3	3	4	0	3	1
TEENAGE PREMATURE BIRTHS	24	1	6	17	10	0	3	7	14	1	3	10
TEENAGE ILLEGITIMATE BIRTHS	99	4	39	56	33	1	16	16	66	3	23	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	4	0	3	1	14	0	1	13
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	5	18	5	0	3	2	18	0	2	16
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	5	3	3	0	3	0	5	0	2	3
TEENAGE FERTILITY RATE	48.4	3.6	93.7 (15-19)		34.0	1.6	71.2 (15-19)		63.5	5.9	114.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	27.8	0.0	24.4	31.7	76.9	0.0	62.5	90.9	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	111	4	42	65	42	1	17	24	69	3	25	41
TEENAGE PREGNANCY RATE	49.7	3.6	96.4 (15-19)		36.6	1.6	76.8 (15-19)		63.5	5.9	114.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,568	1,634	736	898	334
WHITE	14,555	906	406	500	176
NONWHITE	8,013	728	330	398	158

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	8	37	21	0	3	18	25	1	5	19
TEENAGE IMMATURE BIRTHS	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE PREMATURE BIRTHS	5	1	2	2	2	0	1	1	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	37	1	8	28	13	0	3	10	24	1	5	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	4	0	0	4	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	28.2	1.4	50.1 (15-19)		23.2	0.0	42.0 (15-19)		34.3	3.0	60.3 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	43.5	0.0	250.0	0.0	47.6	0.0	333.3	0.0	40.0	0.0	200.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	43.5	0.0	0.0	54.0	47.6	0.0	0.0	55.6	40.0	0.0	0.0	52.6
TEENAGE PREGNANCIES#	50	1	10	39	23	0	4	19	27	1	6	20
TEENAGE PREGNANCY RATE	30.6	1.4	54.6 (15-19)		25.4	0.0	46.0 (15-19)		37.1	3.0	65.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	21.7	1000.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	1000.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,631	847	391	456	200
WHITE	3,321	166	79	87	42
NONWHITE	8,310	681	312	369	158

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	11	24	1	0	0	1	34	0	11	23
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	34	0	11	23	0	0	0	0	34	0	11	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	1	0	0	1	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	1	0	0	1	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	41.3	0.0	76.8 (15-19)		6.0	0.0	11.5 (15-19)		49.9	0.0	92.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	28.6	0.0	90.9	0.0	0.0	0.0	0.0	0.0	29.4	0.0	90.9	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	114.3	0.0	90.9	125.0	0.0	0.0	0.0	0.0	117.6	0.0	90.9	130.4
TEENAGE PREGNANCIES#	40	0	13	27	1	0	0	1	39	0	13	26
TEENAGE PREGNANCY RATE	47.2	0.0	87.7 (15-19)		6.0	0.0	11.5 (15-19)		57.3	0.0	105.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	44,544	3,500	1,105	2,395	552
WHITE	26,571	1,893	531	1,362	249
NONWHITE	17,973	1,607	574	1,033	303

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	0	12	41	12	0	1	11	41	0	11	30
TEENAGE IMMATURE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE PREMATURE BIRTHS	9	0	1	8	0	0	0	0	9	0	1	8
TEENAGE ILLEGITIMATE BIRTHS	49	0	12	37	10	0	1	9	39	0	11	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	15.1	0.0	22.1 (15-19)		6.3	0.0	8.8 (15-19)		25.5	0.0	39.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	16	0	2	14	8	0	0	8	8	0	2	6
TEENAGE INDUCED TERMINATION RATIO	301.9	0.0	166.7	341.5	666.7	0.0	0.0	727.3	195.1	0.0	181.8	200.0
TEENAGE PREGNANCIES#	69	0	14	55	20	0	1	19	49	0	13	36
TEENAGE PREGNANCY RATE	19.7	0.0	28.8 (15-19)		10.6	0.0	14.7 (15-19)		30.5	0.0	47.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	18.9	0.0	0.0	24.4	0.0	0.0	0.0	0.0	24.4	0.0	0.0	33.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,245	2,482	1,227	1,255	584
WHITE	18,072	1,000	525	475	236
NONWHITE	17,173	1,482	702	780	348

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	148	2	60	86	41	0	10	31	107	2	50	55
TEENAGE IMMATURE BIRTHS	21	1	7	13	2	0	0	2	19	1	7	11
TEENAGE PREMATURE BIRTHS	15	0	8	7	2	0	0	2	13	0	8	5
TEENAGE ILLEGITIMATE BIRTHS	137	2	60	75	30	0	10	20	107	2	50	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	5	31	12	0	2	10	24	0	3	21
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	7	35	13	0	3	10	29	0	4	25
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	4	9	2	0	0	2	11	0	4	7
TEENAGE FERTILITY RATE	59.6	1.6	116.3 (15-19)		41.0	0.0	86.3 (15-19)		72.2	2.8	134.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	15	0	7	8	2	0	0	2	13	0	7	6
TEENAGE INDUCED TERMINATION RATIO	101.4	0.0	116.7	93.0	48.8	0.0	0.0	64.5	121.5	0.0	140.0	109.1
TEENAGE PREGNANCIES#	163	2	67	94	43	0	10	33	120	2	57	61
TEENAGE PREGNANCY RATE	65.7	1.6	128.3 (15-19)		43.0	0.0	90.5 (15-19)		81.0	2.8	151.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	57,860	4,012	2,004	2,008	739
WHITE	49,181	3,220	1,630	1,590	614
NONWHITE	8,679	792	374	418	125

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	112	2	36	74	90	1	29	60	22	1	7	14
TEENAGE IMMATURE BIRTHS	8	0	2	6	5	0	2	3	3	0	0	3
TEENAGE PREMATURE BIRTHS	22	0	8	14	19	0	7	12	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	91	2	33	56	70	1	26	43	21	1	7	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	3	19	15	0	3	12	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	7	27	24	0	6	18	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	27.9	1.0	54.8 (15-19)		28.0	0.6	56.0 (15-19)		27.8	2.7	50.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.9	0.0	0.0	13.5	11.1	0.0	0.0	16.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	113	2	36	75	91	1	29	61	22	1	7	14
TEENAGE PREGNANCY RATE	28.2	1.0	55.3 (15-19)		28.3	0.6	56.6 (15-19)		27.8	2.7	50.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	0	4	3	0	0	3	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	35.7	0.0	0.0	54.1	33.3	0.0	0.0	50.0	45.5	0.0	0.0	71.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,035	849	415	434	170
WHITE	9,214	587	298	289	129
NONWHITE	2,821	262	117	145	41

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	0	13	20	28	0	11	17	5	0	2	3
TEENAGE IMMATURE BIRTHS	5	0	1	4	4	0	1	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	0	6	5	0	0	5	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	29	0	13	16	24	0	11	13	5	0	2	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	4	0	0	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	6	0	0	6	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	38.9	0.0	76.0 (15-19)		47.7	0.0	96.9 (15-19)		19.1	0.0	34.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	60.6	0.0	76.9	50.0	35.7	0.0	0.0	58.8	200.0	0.0	500.0	0.0
TEENAGE PREGNANCIES#	35	0	14	21	29	0	11	18	6	0	3	3
TEENAGE PREGNANCY RATE	41.2	0.0	80.6 (15-19)		49.4	0.0	100.3 (15-19)		22.9	0.0	41.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,834	2,866	1,363	1,503	678
WHITE	19,677	1,171	574	597	248
NONWHITE	20,157	1,695	789	906	430

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	128	6	37	85	32	1	9	22	96	5	28	63
TEENAGE IMMATURE BIRTHS	16	0	3	13	4	0	2	2	12	0	1	11
TEENAGE PREMATURE BIRTHS	18	0	1	17	3	0	0	3	15	0	1	14
TEENAGE ILLEGITIMATE BIRTHS	115	6	34	75	21	1	6	14	94	5	28	61
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	0	6	24	2	0	0	2	28	0	6	22
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	6	28	3	0	0	3	31	0	6	25
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	0	5	0	0	0	0	6	1	0	5
TEENAGE FERTILITY RATE	44.7	4.4	81.2 (15-19)		27.3	1.7	51.9 (15-19)		56.6	6.3	100.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	7.8	0.0	0.0	11.8	0.0	0.0	0.0	0.0	10.4	0.0	0.0	15.9
TEENAGE INDUCED TERMINATIONS#	11	1	2	8	1	0	1	0	10	1	1	8
TEENAGE INDUCED TERMINATION RATIO	85.9	166.7	54.0	94.1	31.2	0.0	111.1	0.0	104.2	200.0	35.7	127.0
TEENAGE PREGNANCIES#	140	7	39	94	33	1	10	22	107	6	29	72
TEENAGE PREGNANCY RATE	48.8	5.1	88.5 (15-19)		28.2	1.7	53.6 (15-19)		63.1	7.6	111.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	15.6	0.0	27.0	11.8	0.0	0.0	0.0	0.0	20.8	0.0	35.7	15.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,248	2,054	1,081	973	448
WHITE	24,595	1,688	901	787	380
NONWHITE	4,653	366	180	186	68

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	0	24	50	63	0	21	42	11	0	3	8
TEENAGE IMMATURE BIRTHS	9	0	3	6	8	0	3	5	1	0	0	1
TEENAGE PREMATURE BIRTHS	16	0	6	10	13	0	4	9	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	61	0	21	40	50	0	18	32	11	0	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	16	0	2	14	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	20	0	4	16	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	3	0	2	1	0	0	0	0
TEENAGE FERTILITY RATE	36.0	0.0	76.0 (15-19)		37.3	0.0	80.0 (15-19)		30.0	0.0	59.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	0	5	3	1	0	2	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	81.1	-	0.0	100.0	47.6	-	0.0	47.6	272.7	0.0	0.0	375.0
TEENAGE PREGNANCIES#	80	1	24	55	66	1	21	44	14	0	3	11
TEENAGE PREGNANCY RATE	38.9	0.9	81.2 (15-19)		39.1	1.1	82.6 (15-19)		38.2	0.0	75.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.5	0.0	0.0	20.0	15.9	0.0	0.0	23.8	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,709	1,827	795	1,032	328
WHITE	21,727	1,465	648	817	279
NONWHITE	3,982	362	147	215	49

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	0	19	50	60	0	16	44	9	0	3	6
TEENAGE IMMATURE BIRTHS	7	0	2	5	7	0	2	5	0	0	0	0
TEENAGE PREMATURE BIRTHS	16	0	6	10	11	0	4	7	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	51	0	17	34	42	0	14	28	9	0	3	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	1	16	17	0	1	16	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	2	19	21	0	2	19	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	37.8	0.0	66.9 (15-19)		41.0	0.0	73.4 (15-19)		24.9	0.0	41.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	58.0	-	52.6	40.0	0.0	0.0	0.0	0.0	444.4	-	333.3	333.3
TEENAGE PREGNANCIES#	73	1	20	52	60	0	16	44	13	1	4	8
TEENAGE PREGNANCY RATE	40.0	1.2	69.8 (15-19)		41.0	0.0	73.4 (15-19)		35.9	6.8	55.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,391	630	299	331	144
WHITE	2,459	130	67	63	29
NONWHITE	5,932	500	232	268	115

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	11	23	2	0	1	1	32	0	10	22
TEENAGE IMMATURE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE PREMATURE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE ILLEGITIMATE BIRTHS	34	0	11	23	2	0	1	1	32	0	10	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	1	0	0	1	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	54.0	0.0	102.7 (15-19)		15.4	0.0	31.7 (15-19)		64.0	0.0	119.4 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	29.4	-	0.0	0.0	0.0	0.0	0.0	0.0	31.2	-	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	88.2	0.0	90.9	87.0	0.0	0.0	0.0	0.0	93.8	0.0	100.0	90.9
TEENAGE PREGNANCIES#	38	1	12	25	2	0	1	1	36	1	11	24
TEENAGE PREGNANCY RATE	60.3	3.3	111.8 (15-19)		15.4	0.0	31.7 (15-19)		72.0	4.3	130.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	143,124	8,975	4,766	4,209	1,978
WHITE	111,585	6,601	3,497	3,104	1,545
NONWHITE	31,539	2,374	1,269	1,105	433

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	209	2	74	133	151	0	57	94	58	2	17	39
TEENAGE IMMATURE BIRTHS	29	0	13	16	15	0	5	10	14	0	8	6
TEENAGE PREMATURE BIRTHS	41	1	21	19	26	0	13	13	15	1	8	6
TEENAGE ILLEGITIMATE BIRTHS	178	2	71	105	121	0	54	67	57	2	17	38
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	5	24	21	0	3	18	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	35	0	6	29	26	0	4	22	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FERTILITY RATE	23.3	0.4	49.2 (15-19)		22.9	0.0	48.6 (15-19)		24.4	1.6	50.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.8	0.0	0.0	7.5	6.6	0.0	0.0	10.6	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	34	2	12	20	22	1	6	15	12	1	6	5
TEENAGE INDUCED TERMINATION RATIO	162.7	1000.0	162.2	150.4	145.7	-	105.3	159.6	206.9	500.0	352.9	128.2
TEENAGE PREGNANCIES#	244	4	86	154	174	1	63	110	70	3	23	44
TEENAGE PREGNANCY RATE	27.2	0.8	57.0 (15-19)		26.4	0.3	55.7 (15-19)		29.5	2.4	60.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	9.6	0.0	13.5	7.5	6.6	0.0	0.0	10.6	17.2	0.0	58.8	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,341	1,991	965	1,026	515
WHITE	17,712	998	492	506	301
NONWHITE	11,629	993	473	520	214

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	93	2	33	58	42	0	18	24	51	2	15	34
TEENAGE IMMATURE BIRTHS	19	1	8	10	7	0	3	4	12	1	5	6
TEENAGE PREMATURE BIRTHS	17	0	8	9	5	0	3	2	12	0	5	7
TEENAGE ILLEGITIMATE BIRTHS	83	2	28	53	32	0	13	19	51	2	15	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	5	24	17	0	5	12	12	0	0	12
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	5	26	17	0	5	12	14	0	0	14
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	46.7	2.1	88.7 (15-19)		42.1	0.0	83.0 (15-19)		51.4	4.2	94.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	5	4	2	0	1	1	8	1	4	3
TEENAGE INDUCED TERMINATION RATIO	107.5	500.0	151.5	69.0	47.6	0.0	55.6	41.7	156.9	500.0	266.7	88.2
TEENAGE PREGNANCIES#	103	3	38	62	44	0	19	25	59	3	19	37
TEENAGE PREGNANCY RATE	51.7	3.1	97.5 (15-19)		44.1	0.0	87.0 (15-19)		59.4	6.3	107.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	10.8	0.0	0.0	17.2	23.8	0.0	0.0	41.7	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	5,420	421	201	220	82
WHITE	1,570	86	34	52	12
NONWHITE	3,850	335	167	168	70

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	2	14	10	1	0	1	0	25	2	13	10
TEENAGE IMMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE PREMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	26	2	14	10	1	0	1	0	25	2	13	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	61.8	10.0	109.1	(15-19)	11.6	0.0	19.2	(15-19)	74.6	12.0	136.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	38.5	0.0	0.0	100.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	100.0
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	115.4	500.0	0.0	200.0	0.0	0.0	0.0	0.0	120.0	500.0	0.0	200.0
TEENAGE PREGNANCIES#	30	3	14	13	1	0	1	0	29	3	13	13
TEENAGE PREGNANCY RATE	71.2	14.9	122.7	(15-19)	11.6	0.0	19.2	(15-19)	86.6	18.0	154.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	38.5	0.0	0.0	100.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	100.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,920	1,931	969	962	414
WHITE	17,845	1,063	557	506	248
NONWHITE	10,075	868	412	456	166

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	0	22	62	39	0	9	30	45	0	13	32
TEENAGE IMMATURE BIRTHS	14	0	2	12	5	0	2	3	9	0	0	9
TEENAGE PREMATURE BIRTHS	23	0	5	18	8	0	2	6	15	0	3	12
TEENAGE ILLEGITIMATE BIRTHS	69	0	18	51	25	0	5	20	44	0	13	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	1	18	11	0	1	10	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	1	25	15	0	1	14	11	0	0	11
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	43.5	0.0	87.3 (15-19)		36.7	0.0	77.1 (15-19)		51.8	0.0	98.7 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	23.8	0.0	0.0	32.2	25.6	0.0	0.0	33.3	22.2	0.0	0.0	31.2
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	23.8	0.0	90.9	0.0	25.6	0.0	111.1	0.0	22.2	0.0	76.9	0.0
TEENAGE PREGNANCIES#	88	0	24	64	41	0	10	31	47	0	14	33
TEENAGE PREGNANCY RATE	45.6	0.0	91.5 (15-19)		38.6	0.0	81.0 (15-19)		54.1	0.0	103.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.9	0.0	0.0	16.1	0.0	0.0	0.0	0.0	22.2	0.0	0.0	31.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,826	1,188	612	576	209
WHITE	11,819	757	383	374	144
NONWHITE	4,007	431	229	202	65

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	12	23	22	0	6	16	13	0	6	7
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	29	0	11	18	16	0	5	11	13	0	6	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	5	0	0	5	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	6	0	0	6	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE FERTILITY RATE	29.5	0.0	60.8 (15-19)		29.1	0.0	58.8 (15-19)		30.2	0.0	64.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	28.6	0.0	0.0	43.5	45.4	0.0	0.0	62.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	85.7	0.0	166.7	43.5	90.9	0.0	166.7	62.5	76.9	0.0	166.7	0.0
TEENAGE PREGNANCIES#	39	0	14	25	25	0	7	18	14	0	7	7
TEENAGE PREGNANCY RATE	32.8	0.0	67.7 (15-19)		33.0	0.0	66.8 (15-19)		32.5	0.0	69.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,619	1,226	527	699	214
WHITE	13,172	904	407	497	169
NONWHITE	3,447	322	120	202	45

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	11	27	31	1	10	20	8	0	1	7
TEENAGE IMMATURE BIRTHS	3	0	2	1	3	0	2	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	34	1	11	22	26	1	10	15	8	0	1	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	6	0	0	6	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	8	0	0	8	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	31.8	1.9	54.4 (15-19)		34.3	2.4	60.4 (15-19)		24.8	0.0	39.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	51.3	0.0	0.0	74.1	32.2	0.0	0.0	50.0	125.0	0.0	0.0	142.8
TEENAGE PREGNANCIES#	41	1	11	29	32	1	10	21	9	0	1	8
TEENAGE PREGNANCY RATE	33.4	1.9	57.2 (15-19)		35.4	2.4	62.4 (15-19)		28.0	0.0	44.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,610	2,025	899	1,126	412
WHITE	7,727	415	179	236	59
NONWHITE	21,883	1,610	720	890	353

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	107	1	39	67	4	0	1	3	103	1	38	64
TEENAGE IMMATURE BIRTHS	18	0	5	13	1	0	0	1	17	0	5	12
TEENAGE PREMATURE BIRTHS	25	0	7	18	0	0	0	0	25	0	7	18
TEENAGE ILLEGITIMATE BIRTHS	105	1	39	65	2	0	1	1	103	1	38	64
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	8	19	0	0	0	0	27	0	8	19
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	9	21	0	0	0	0	30	0	9	21
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	4	5	0	0	0	0	9	0	4	5
TEENAGE FERTILITY RATE	52.8	1.1	94.1	(15-19)	9.6	0.0	16.9	(15-19)	64.0	1.4	114.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	14	2	5	7	0	0	0	0	14	2	5	7
TEENAGE INDUCED TERMINATION RATIO	130.8	2000.0	128.2	104.5	0.0	0.0	0.0	0.0	135.9	2000.0	131.6	109.4
TEENAGE PREGNANCIES#	121	3	44	74	4	0	1	3	117	3	43	71
TEENAGE PREGNANCY RATE	59.8	3.3	104.8	(15-19)	9.6	0.0	16.9	(15-19)	72.7	4.2	128.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,638	965	431	534	210
WHITE	4,802	273	136	137	49
NONWHITE	7,836	692	295	397	161

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	0	20	20	3	0	1	2	37	0	19	18
TEENAGE IMMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE PREMATURE BIRTHS	10	0	5	5	0	0	0	0	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	39	0	20	19	3	0	1	2	36	0	19	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	0	0	0	0	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE FERTILITY RATE	41.4	0.0	74.9 (15-19)		11.0	0.0	21.9 (15-19)		53.5	0.0	93.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	25.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	27.0	0.0	52.6	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	4	2	0	0	0	0	7	1	4	2
TEENAGE INDUCED TERMINATION RATIO	175.0	-	200.0	100.0	0.0	0.0	0.0	0.0	189.2	-	210.5	111.1
TEENAGE PREGNANCIES#	48	1	25	22	3	0	1	2	45	1	24	20
TEENAGE PREGNANCY RATE	49.7	2.3	88.0 (15-19)		11.0	0.0	21.9 (15-19)		65.0	3.4	110.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,337	2,055	902	1,153	385
WHITE	18,464	1,258	579	679	232
NONWHITE	8,873	797	323	474	153

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	0	18	47	27	0	9	18	38	0	9	29
TEENAGE IMMATURE BIRTHS	5	0	1	4	3	0	1	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	59	0	17	42	22	0	8	14	37	0	9	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	2	0	1	1	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	2	0	1	1	11	0	0	11
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	2	0	1	1	6	0	1	5
TEENAGE FERTILITY RATE	31.6	0.0	56.4 (15-19)		21.5	0.0	39.8 (15-19)		47.7	0.0	80.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	15.4	0.0	0.0	21.3	37.0	0.0	0.0	55.6	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	0	2	8	2	0	1	1	8	0	1	7
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	111.1	170.2	74.1	0.0	111.1	55.6	210.5	0.0	111.1	241.4
TEENAGE PREGNANCIES#	76	0	20	56	30	0	10	20	46	0	10	36
TEENAGE PREGNANCY RATE	37.0	0.0	65.9 (15-19)		23.8	0.0	44.2 (15-19)		57.7	0.0	97.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: TIPPAAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,661	1,377	640	737	305
WHITE	17,562	1,051	486	565	259
NONWHITE	4,099	326	154	172	46

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	0	19	38	51	0	15	36	6	0	4	2
TEENAGE IMMATURE BIRTHS	13	0	4	9	10	0	2	8	3	0	2	1
TEENAGE PREMATURE BIRTHS	7	0	0	7	6	0	0	6	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	42	0	17	25	36	0	13	23	6	0	4	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	14	0	1	13	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	1	14	14	0	1	13	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	41.4	0.0	77.3 (15-19)		48.5	0.0	90.3 (15-19)		18.4	0.0	34.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	35.1	0.0	0.0	52.6	39.2	0.0	0.0	55.6	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	59	0	19	40	53	0	15	38	6	0	4	2
TEENAGE PREGNANCY RATE	42.8	0.0	80.0 (15-19)		50.4	0.0	93.8 (15-19)		18.4	0.0	34.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,034	1,183	601	582	191
WHITE	18,148	1,129	569	560	182
NONWHITE	886	54	32	22	9

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	9	22	30	0	9	21	1	0	0	1
TEENAGE IMMATURE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	21	0	7	14	20	0	7	13	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	6	0	2	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	6	0	2	4	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	26.2	0.0	53.3 (15-19)		26.6	0.0	53.6 (15-19)		18.5	0.0	45.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	64.5	0.0	222.2	0.0	66.7	0.0	222.2	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	33	0	11	22	32	0	11	21	1	0	0	1
TEENAGE PREGNANCY RATE	27.9	0.0	56.7 (15-19)		28.3	0.0	57.1 (15-19)		18.5	0.0	45.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,436	750	390	360	182
WHITE	2,728	110	71	39	31
NONWHITE	7,708	640	319	321	151

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	1	10	23	3	0	0	3	31	1	10	20
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	33	1	10	22	2	0	0	2	31	1	10	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	0	15	2	0	0	2	13	0	0	13
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	0	15	2	0	0	2	13	0	0	13
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE FERTILITY RATE	45.3	2.6	91.7 (15-19)		27.3	0.0	76.9 (15-19)		48.4	3.1	93.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	2	0	0	2	6	0	3	3
TEENAGE INDUCED TERMINATION RATIO	235.3	0.0	300.0	217.4	666.7	0.0	0.0	666.7	193.5	0.0	300.0	150.0
TEENAGE PREGNANCIES#	42	1	13	28	5	0	0	5	37	1	13	23
TEENAGE PREGNANCY RATE	56.0	2.6	113.9 (15-19)		45.4	0.0	128.2 (15-19)		57.8	3.1	112.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	29.4	0.0	0.0	43.5	0.0	0.0	0.0	0.0	32.3	0.0	0.0	50.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,263	1,783	923	860	389
WHITE	22,649	1,401	723	678	325
NONWHITE	4,614	382	200	182	64

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	1	16	43	44	1	9	34	16	0	7	9
TEENAGE IMMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE PREMATURE BIRTHS	9	0	3	6	5	0	1	4	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	49	1	15	33	34	1	8	25	15	0	7	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	7	0	0	7	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	2	13	8	0	0	8	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	33.6	1.1	68.6 (15-19)		31.4	1.4	63.4 (15-19)		41.9	0.0	87.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	2	0	2	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	83.3	0.0	250.0	23.2	45.4	0.0	222.2	0.0	187.5	0.0	285.7	111.1
TEENAGE PREGNANCIES#	65	1	20	44	46	1	11	34	19	0	9	10
TEENAGE PREGNANCY RATE	36.4	1.1	74.4 (15-19)		32.8	1.4	66.4 (15-19)		49.7	0.0	104.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,291	988	486	502	202
WHITE	8,264	423	227	196	106
NONWHITE	7,027	565	259	306	96

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	9	22	14	0	3	11	17	0	6	11
TEENAGE IMMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE PREMATURE BIRTHS	7	0	3	4	3	0	2	1	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	26	0	7	19	9	0	1	8	17	0	6	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	5	0	1	4	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	6	0	1	5	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	31.4	0.0	61.8 (15-19)		33.1	0.0	71.4 (15-19)		30.1	0.0	55.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	31	0	9	22	14	0	3	11	17	0	6	11
TEENAGE PREGNANCY RATE	31.4	0.0	61.8 (15-19)		33.1	0.0	71.4 (15-19)		30.1	0.0	55.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,175	3,635	1,796	1,839	720
WHITE	24,420	1,517	760	757	284
NONWHITE	23,755	2,118	1,036	1,082	436

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	132	2	52	78	36	1	10	25	96	1	42	53
TEENAGE IMMATURE BIRTHS	16	1	6	9	5	0	1	4	11	1	5	5
TEENAGE PREMATURE BIRTHS	13	0	7	6	4	0	0	4	9	0	7	2
TEENAGE ILLEGITIMATE BIRTHS	128	2	52	74	32	1	10	21	96	1	42	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	10	16	5	0	2	3	21	0	8	13
TEENS WHO HAD PREVIOUS PREGNANCIES	35	0	11	24	8	0	3	5	27	0	8	19
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE FERTILITY RATE	36.3	1.1	70.7 (15-19)		23.7	1.3	46.2 (15-19)		45.3	1.0	87.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	15.2	0.0	19.2	12.8	0.0	0.0	0.0	0.0	20.8	0.0	23.8	18.9
TEENAGE INDUCED TERMINATIONS#	26	0	11	15	5	0	1	4	21	0	10	11
TEENAGE INDUCED TERMINATION RATIO	197.0	0.0	211.5	192.3	138.9	0.0	100.0	160.0	218.8	0.0	238.1	207.5
TEENAGE PREGNANCIES#	160	2	64	94	41	1	11	29	119	1	53	65
TEENAGE PREGNANCY RATE	44.0	1.1	85.9 (15-19)		27.0	1.3	52.8 (15-19)		56.2	1.0	109.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	54,616	4,034	1,971	2,063	848
WHITE	16,448	775	342	433	174
NONWHITE	38,168	3,259	1,629	1,630	674

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	192	5	67	120	24	0	6	18	168	5	61	102
TEENAGE IMMATURE BIRTHS	30	2	10	18	2	0	0	2	28	2	10	16
TEENAGE PREMATURE BIRTHS	47	3	17	27	1	0	0	1	46	3	17	26
TEENAGE ILLEGITIMATE BIRTHS	187	5	66	116	19	0	5	14	168	5	61	102
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	7	30	5	0	1	4	32	0	6	26
TEENS WHO HAD PREVIOUS PREGNANCIES	47	0	8	39	6	0	1	5	41	0	7	34
TEENS WITH INADEQUATE* PRENATAL CARE	19	1	8	10	2	0	0	2	17	1	8	8
TEENAGE FERTILITY RATE	47.6	2.5	90.6 (15-19)		31.0	0.0	55.4 (15-19)		51.6	3.1	100.0 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	15.6	0.0	14.9	16.7	0.0	0.0	0.0	0.0	17.8	0.0	16.4	19.6
TEENAGE INDUCED TERMINATIONS#	20	0	8	12	2	0	0	2	18	0	8	10
TEENAGE INDUCED TERMINATION RATIO	104.2	0.0	119.4	100.0	83.3	0.0	0.0	111.1	107.1	0.0	131.1	98.0
TEENAGE PREGNANCIES#	215	5	76	134	26	0	6	20	189	5	70	114
TEENAGE PREGNANCY RATE	53.3	2.5	101.8 (15-19)		33.5	0.0	60.0 (15-19)		58.0	3.1	112.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	5.2	0.0	14.9	0.0	41.7	0.0	166.7	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,654	1,563	818	745	272
WHITE	12,495	820	442	378	161
NONWHITE	8,159	743	376	367	111

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	0	14	31	27	0	9	18	18	0	5	13
TEENAGE IMMATURE BIRTHS	6	0	3	3	3	0	2	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	5	0	3	2	3	0	2	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	35	0	10	25	17	0	5	12	18	0	5	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	4	0	1	3	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	5	0	1	4	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	28.8	0.0	60.4 (15-19)		32.9	0.0	71.4 (15-19)		24.2	0.0	49.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	22.2	0.0	71.4	0.0	37.0	0.0	111.1	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	3	0	1	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	133.3	0.0	142.8	129.0	111.1	0.0	111.1	111.1	166.7	0.0	200.0	153.8
TEENAGE PREGNANCIES#	52	0	17	35	31	0	11	20	21	0	6	15
TEENAGE PREGNANCY RATE	33.3	0.0	69.8 (15-19)		37.8	0.0	82.0 (15-19)		28.3	0.0	57.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,852	601	313	288	134
WHITE	7,721	442	228	214	96
NONWHITE	2,131	159	85	74	38

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	0	7	9	9	0	2	7	7	0	5	2
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	13	0	7	6	6	0	2	4	7	0	5	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	26.6	0.0	55.6 (15-19)		20.4	0.0	42.0 (15-19)		44.0	0.0	94.6 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	62.5	-	0.0	0.0	0.0	0.0	0.0	0.0	142.8	-	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	17	1	7	9	9	0	2	7	8	1	5	2
TEENAGE PREGNANCY RATE	28.3	3.2	55.6 (15-19)		20.4	0.0	42.0 (15-19)		50.3	11.8	94.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	62.5	0.0	0.0	111.1	0.0	0.0	0.0	0.0	142.9	0.0	0.0	500.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,143	634	288	346	133
WHITE	2,994	133	72	61	27
NONWHITE	7,149	501	216	285	106

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	1	6	16	3	0	1	2	20	1	5	14
TEENAGE IMMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	22	1	6	15	3	0	1	2	19	1	5	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	1	0	1	0	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	36.3	3.5	63.6 (15-19)		22.6	0.0	49.2 (15-19)		39.9	4.6	66.7 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	87.0	0.0	166.7	62.5	333.3	0.0	1000.0	0.0	50.0	0.0	0.0	71.4
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	25	1	7	17	4	0	2	2	21	1	5	15
TEENAGE PREGNANCY RATE	39.4	3.5	69.4 (15-19)		30.1	0.0	65.6 (15-19)		41.9	4.6	70.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,309	1,265	644	621	268
WHITE	10,278	576	305	271	99
NONWHITE	9,031	689	339	350	169

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	1	13	34	18	0	8	10	30	1	5	24
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE PREMATURE BIRTHS	7	1	1	5	2	0	1	1	5	1	0	4
TEENAGE ILLEGITIMATE BIRTHS	41	1	10	30	11	0	5	6	30	1	5	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	4	0	1	3	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	4	0	1	3	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	1	4	1	0	1	0	5	1	0	4
TEENAGE FERTILITY RATE	37.9	1.6	75.7 (15-19)		31.2	0.0	66.4 (15-19)		43.5	3.0	82.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	41.7	0.0	153.8	0.0	55.6	0.0	125.0	0.0	33.3	0.0	200.0	0.0
TEENAGE PREGNANCIES#	50	1	15	34	19	0	9	10	31	1	6	24
TEENAGE PREGNANCY RATE	39.5	1.6	78.9 (15-19)		33.0	0.0	70.1 (15-19)		45.0	3.0	85.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	20.8	0.0	0.0	29.4	55.6	0.0	0.0	100.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,773	866	400	466	160
WHITE	8,254	412	211	201	92
NONWHITE	5,519	454	189	265	68

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	0	14	23	19	0	6	13	18	0	8	10
TEENAGE IMMATURE BIRTHS	6	0	4	2	1	0	1	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	5	0	4	1	2	0	2	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	32	0	12	20	14	0	4	10	18	0	8	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	7	0	1	6	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	3	9	7	0	1	6	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE FERTILITY RATE	42.7	0.0	79.4 (15-19)		46.1	0.0	94.5 (15-19)		39.6	0.0	67.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	27.0	0.0	0.0	43.5	0.0	0.0	0.0	0.0	55.6	0.0	0.0	100.0
TEENAGE INDUCED TERMINATIONS#	5	1	1	3	0	0	0	0	5	1	1	3
TEENAGE INDUCED TERMINATION RATIO	135.1	-	71.4	130.4	0.0	0.0	0.0	0.0	277.8	-	125.0	300.0
TEENAGE PREGNANCIES#	43	1	15	27	19	0	6	13	24	1	9	14
TEENAGE PREGNANCY RATE	49.6	2.5	90.1 (15-19)		46.1	0.0	94.5 (15-19)		52.9	5.3	86.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	27.0	0.0	71.4	0.0	0.0	0.0	0.0	0.0	55.6	0.0	125.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2009

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,981	1,801	876	925	445
WHITE	12,253	526	270	256	136
NONWHITE	15,728	1,275	606	669	309

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	91	3	35	53	16	0	2	14	75	3	33	39
TEENAGE IMMATURE BIRTHS	10	0	3	7	0	0	0	0	10	0	3	7
TEENAGE PREMATURE BIRTHS	17	0	9	8	2	0	2	0	15	0	7	8
TEENAGE ILLEGITIMATE BIRTHS	87	3	35	49	12	0	2	10	75	3	33	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	6	14	4	0	1	3	16	0	5	11
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	7	14	4	0	1	3	17	0	6	11
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE FERTILITY RATE	50.5	3.4	95.1 (15-19)		30.4	0.0	62.5 (15-19)		58.8	5.0	107.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	15	0	7	8	1	0	1	0	14	0	6	8
TEENAGE INDUCED TERMINATION RATIO	164.8	0.0	200.0	150.9	62.5	0.0	500.0	0.0	186.7	0.0	181.8	205.1
TEENAGE PREGNANCIES#	106	3	42	61	17	0	3	14	89	3	39	47
TEENAGE PREGNANCY RATE	58.8	3.4	111.4 (15-19)		32.3	0.0	66.4 (15-19)		69.8	5.0	128.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.